

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/609,127	06/30/2003	Vladimir Ryabtsev	25543	6690
20529	7590 08/08/2005		EXAMINER	
NATH & ASSOCIATES			MICHALSKY, GERALD A	
1030 15th ST 6TH FLOOR	,		ART UNIT	PAPER NUMBER
WASHINGTO	ON, DC 20005		3753	

DATE MAILED: 08/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			"cara
	Application No.	Applicant(s)	
	10/609,127	RYABTSEV ET AL.	
Office Action Summary	Examiner	Art Unit	
	Gerald A. Michalsky	3753	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence addre	!ss
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from t, cause the application to become ABANDONE	nely filed vs will be considered timely. In the mailing date of this commed (35 U.S.C. § 133).	nunication.
Status			
1) □ Responsive to communication(s) filed on 2a) □ This action is FINAL. 2b) □ This 3) ☒ Since this application is in condition for alloware closed in accordance with the practice under Expression is the practice of	e action is non-final. nce except for formal matters, pro		erits is
Disposition of Claims			
4) ☐ Claim(s) 1-52 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) 1-52 is/are allowed. 6) ☐ Claim(s) is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	wn from consideration.		
Application Papers			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the l drawing(s) be held in abeyance. See tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR	` ,
Priority under 35 U.S.C. § 119			
a) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Sta	age
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) 🔲 Interview Summary Paper No(s)/Mail Da		
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 9/24/03 & 11/30/04.		Patent Application (PTO-15	52)

Application/Control Number: 10/609,127 Page 2

Art Unit: 3753

DETAILED ACTION

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the liquid flow-meter specified in claim 5 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

2. The disclosure is objected to because of the following informalities: On page 5, line 6, "inactivate" should be –inactivating--. Line "V-V", mentioned on page 8, line 7, cannot be found on Figure 8A.

Application/Control Number: 10/609,127

Art Unit: 3753

Appropriate correction is required.

3. This application is in condition for allowance except for the following formal matters:

See the matters above.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

- 4. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.
- 5. Claims 1-52 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gerald A. Michalsky whose telephone number is (571) 272-4917. The examiner can normally be reached on M-F 5:30 AM - 2 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on (571) 272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gerald A. Michalsky Primary Examiner

Art Unit 3753

GM